

Safety Data Sheet

Anvil Paints & Coatings, Inc.

235 Aqua Seal Clear Waterproofing Sealer

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION	
Version: Identifier 1: Identifier 2: Product Type:	235 Aqua Seal Clear Waterproofing Sealer 2 Waterproofing Sealer N/A Acrylic Emulsion Coating Concrete Masonry Sealer	
	Anvil Paints & Coatings, Inc. 1255 Starkey Road Largo, FL 33771 Phone: (800) 822-6776 Internet Address: www.anvilpaints.com	
	INFOTRAC 1-800-535-5053 (US & Canada) 1-353-323-3500 (International)	
SECTION 2	HAZARD(S) IDENTIFICATION	
	Standard (29 CFR 1 handling and proper	s not considered hazardous by the OSHA Hazard Communication 910.1200), this SDS contains valuable information critical to the safe r use of the product. This SDS should be retained and available for r users of this product.
Pictogram(s):	N/A	
Signal Word:	N/A	
Hazard Statements:	May cause mild skin	and eye irritation.
	General P102	- Keep out of reach of children.
	Prevention P264 P270 P280	 Wash skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
	Response P301+P312+P330 P302+352 P314 P332 + P313 P337 + P313 Storage P403+P233	 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with soap and water. Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed.

P405

- Store locked up.

Disposal

P501

- Dispose of contents/container in accordance with local, state, and federal regulations.

SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS	
Ingredient Name	CAS Number	Concentration (%)
Acrylic Polymer Solids	N/A	25.00
Water	7732-18-5	72.15

Under the OSHA Hazard Communication Standard (29 CFR 1910.1200), this product does not contain any components classified for health hazards above the relevant cut off value.

SECTION 4	FIRST-AID MEASURES
Eye Contact:	Immediately flush eye(s) with plenty of water, occasionally lifting the upper and lower eyelids and continue to rinse for at least 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation persists.
Inhalation:	Move to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin Contact:	Flush contaminated skin with plenty of soap and water. Contract a physician if rash or severe irritation develops.
Ingestion:	Wash out mouth with water. Remove dentures if any. Move victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, have them drink plenty of water. Do NOT induce vomiting unless directed to do so by medical personnel. Get medical attention immediately.
Most Important Symptoms and Effects, Both Acute and Delayed:	No significant symptoms are expected due to the non-classification of the product.
Protection of First-Aiders:	No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin and eyes. Use personal protective equipment as required (see Section 8). Show this Safety Data Sheet to the doctor in attendance.
Notes to Physician:	Treat symptomatically.
SECTION 5	FIRE-FIGHTING MEASURES
Suitable Extinguishing Media:	Water spray, foam, or dry powder.
Specific Precautionary Methods:	No information known.
Hazardous Thermal Decomposition Products:	No specific hazards known.

235 Aqua Seal Clear Waterproofing Sealer

Special Protective Actions for Fire-Fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.	
Special Protective Equipment For Firefighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathin apparatus (SCBA) with a full face-piece operated in positive pressure mode.	
SECTION 6	ACCIDENTAL RELEASE MEASURES	
For Non-Emergency Personnel:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Avoid contact with eyes and skin. Use personnel protective equipment as required. No smoking.	
For Emergency Responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non- Emergency Personnel".	
Environmental Precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	
Cleanup:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite, or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). For larger spills, pump off product.	
Regulatory Requirements:	Follow applicable OSHA regulations (29 CFR 1940.120).	
SECTION 7	HANDLING AND STORAGE	
Protective Measures:	Put on appropriate personal protective equipment (see Section 8).	
Advice on General Occupational Hygiene:	Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking.	
Storage Requirements:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and heat/ignition sources, and food and drink. Store protected against freezing or frost. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be kept upright to prevent leakage. Do not store in unlabeled containers. Keep out of the reach of children.	
CECTION 0		

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

No occupational exposure limits known.

Engineering Measures:	Ensure adequate ventilation.
	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective	Respiratory Protection
Equipment:	If breathing irritation occurs, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	Hand Protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Eye/Face Protection Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes and mists. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
	Skin and Body Protection Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Wearing an apron can aid in preventing skin contact with the material.

SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES		
Physical State:	Liquid	Flammability:	Non-Flammable
Color:	Milky White; Dries Clear	Explosive Limits:	N/A
Odor:	Non-Descript	Vapor Pressure:	N/A
Odor Threshold:	N/A	Vapor Density:	N/A
pH:	8.5 - 9.0	Relative Density:	1.09
Melting Point:	N/A	Solubility:	100%
Freezing Point:	32°F	Partition Coefficient:	N/A
Boiling Point/Range:	212°F	Decomposition Temp:	N/A
Flash Point:	N/A	Viscosity:	N/A
Evaporation Rate:	N/A	VOC Content:	84.4 g/l
SECTION 10		STABILITY AND REACTIV	VITY
Reactivity:	No specific test data rel	ated to reactivity available for thi	s product or its ingredie

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.	
Chemical Stability:	The product is chemically stable.	
Possibility of Hazardous Reactions:	Stable under recommended storage conditions.	
Conditions to Avoid:	No specific data.	
Incompatible Materials:	No specific data.	
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

235 Aqua Seal Clear	Waterproofing Sealer
---------------------	----------------------

SECTION 11	TOXICOLOGICAL INFORMATION	
Likely Routes of Exposure:	Inhalation or ingestion of liquid. Eye or skin contact with the product, vapor or spray mist.	
Acute Effects:	None known under normal conditions of use.	
Other Information:	There are no known significant health effects or critical hazards at the effective release date of this Safety Data Sheet.	
SECTION 12	ECOLOGICAL INFORMATION	
Ecological Effects:	No known significant effects or critical hazards.	
SECTION 13	DISPOSAL CONSIDERATIONS	
Disposal Methods:	The generation of waste should be avoided or minimized wherever possible. Disposal of	

SECTION 14		TRANSPORT INFORMATION	
	DOT Classification	IMDG	IATA
UN Number	Not Regulated	Not Regulated	Not Regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Class(es)	-	-	-
Packing Group	-	-	-
Environmental Hazards	No	No	No

AERG: Not Applicable

Special Precautions for User:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
SECTION 15	REGULATORY INFORMATION
U.S. Federal Regulations:	TSCA Inventory (8b): Not Determined Clean Water Act 311: Not Determined
Clean Air Act:	This product does not contain hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).
	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).
SARA 304 RQ:	Not considered hazardous.
SARA 311/312:	Not considered hazardous.
SARA 313:	Not considered hazardous.

235 Aqua Seal Clear Waterproofing Sealer

California Prop 65:	This product does not contain a chemical known to the State of California to cause cancer or reproductive harm. For more information, go to <u>www.P65Warnings.ca.gov</u> .
SECTION 16	OTHER INFORMATION
Previous Editions:	First Published: 02/08/2013 Revised: 09/28/2020
Further Information:	This product is not intended for use in food or pharmaceuticals.
	This SDS was prepared in accordance with OSHA regulatory standards for Toxic and Hazardous Substances: 29 CFR 1910.1200.
Disclaimer:	To the best of our knowledge, the information contained herein is accurate. However Anvil Paints & Coatings, Inc. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be handled with care. Although Anvil Paints & Coatings, Inc. has described herein all of the hazards to which we are currently aware, we cannot guarantee that these are the only hazards which exist.